

# DuPont™ Krytox® FG Lubricants

## FOOD GRADE LUBRICANTS

DuPont™ Krytox® greases and oils are high temperature, extreme pressure, water-resistant lubricants for your most demanding needs. They provide stable performance in temperature extremes and are designed to reduce friction and wear while extending equipment life in severe duty applications. They are extremely resistant to water washout and give long-term protection for bearings and other equipment. Their wide temperature range allows them to be used in both high and low temperature applications.

The superior film-forming capability of Krytox® lubricants provides a thicker oil layer and reduces wear. The nonoxidizing nature of the oils makes them last longer. The oils don't gum up as they age, so they won't harden and cause catastrophic failure. These lubricants have superior extreme pressure properties and excellent adhesion, so they stand up to all conditions.

Krytox® lubricants are commonly used in aerospace, automotive, industrial, and semiconductor applications, as well as solving many other routine lubrication problems.

Property	Krytox® FG 34	Krytox® FG 40
NLGI Grade	2	—
Thickener	PTFE	—
Antitrust	—	No
Flash Point	None	None
Volatility at 22 hr	—	204 °C (399 °F) = 3%
Color	White, creamy consistency	Clear, colorless oil
Base Oil Viscosity, cSt at 40 °C (104 °F) at 100 °C (212 °F)	240 —	160 18
Viscosity Index	134	125
Pour Point, °C (°F)	—	-35 (-31)
Density, g/cc at 20 °C (68 °F)	—	1.92
Operating Range, °C (°F)	-30 to 260 (-22 to 500)	-36 to 204 (-33 to 400)
Rust Prevention, ASTM D-1743	Pass	—
Four Ball EP Weld, ASTM D-2596, kg	None	—
Four Ball EP LWI, ASTM D-2596	None	—



*The miracles of science™*

## Typical Applications

Applications for these lubricants are generally of a critical nature, where temperatures are reaching extremes for conventional lubricants. They are durable in the most aggressive environments and are now often considered an integral part of the design. Where failure of components is not an option, whether because of durability, warranty, safety, loss of productivity or downtime, DuPont™ Krytox® is the lubricant of choice in a wide range of industries and applications. These products are not intended to be used as direct food additives.

## Chemical and Environmental Compatibility

While Krytox® lubricants are nonreactive, they have different chemistries and should not be mixed with other non-PFPE products.

These lubricants are inert and will not react with any materials they may come in contact with. The polymeric nature of these products is extremely resistant to moisture, so they stay in place during cleaning. Cleaners and disinfectants, both acidic and caustic types, do not affect them. Steam and high temperatures will not damage them. They do not damage plastic or elastomer seals or cause corrosion to metals. They are nonflammable and are safe for use in oxygen service. Krytox® oils and greases are silicone-free. They do not contain any VOC materials or chlorine and are not hazardous to the atmosphere or ozone layer. They are biologically and environmentally inert.

## Storage and Shelf Life

Krytox® grease and oil lubricants have an indefinite shelf life, if unopened and stored in a clean dry location.

# DuPont Performance Lubricants

**Extreme Conditions. Extreme Performance.**

For product information, industry applications, technical assistance, or global distributor contacts, visit [krytox.com](http://krytox.com) or within the U.S. and Canada, call **1-800-424-7502**.

Copyright © 2013 DuPont. The DuPont Oval Logo, DuPont™, The miracles of science™, and Krytox® are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved.

H-96095-3 (01/13) Printed in the U.S.A.

The information set forth herein is furnished free of charge and is based on technical data that DuPont believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Because conditions of use are outside our control, DuPont makes no warranties, express or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents or trademarks.



*The miracles of science™*